


# Refreshing C

Hartmut Kaiser

<https://teaching.hkaiser.org/spring2026/csc4103>


# C History

- Developed in the 1970s – in conjunction with development of UNIX operating system
  - When writing an OS kernel, efficiency is crucial
  - This requires low-level access to the underlying hardware:
    - e.g. programmer can leverage knowledge of how data is laid out in memory, to enable faster data access
- UNIX originally written in low-level assembly language – but there were problems:
  - No structured programming (e.g. encapsulating routines as “functions”, “methods”, etc.) – code hard to maintain
  - Code worked only for particular hardware – not portable




# C Characteristics

- C takes a middle path between low-level assembly language...
  - Direct access to memory layout through pointer manipulation
  - Concise syntax, small set of keywords
- ... and a high-level programming language like Java:
  - Block structure
  - Some encapsulation of code, via functions
  - Type checking (pretty weak)



# C Dangers

- C is not object oriented!
  - Can't "hide" data as "private" or "protected" fields
  - You can follow coding standards to write C code that looks object-oriented, but you have to be disciplined – will the other people working on your code also be disciplined?
- C has portability issues
  - Low-level "tricks" may make your C code run well on one platform – but the tricks might not work elsewhere
- The compiler and runtime system will rarely stop your C program from doing stupid/bad things
  - Compile-time type checking is weak
  - No run-time checks for array bounds errors, etc. like in Java



# Compiling your C program

- `gcc intro.c -o intro`
  - and run the program using
  - `./intro arg1!`
- If we just run `./intro`
  - We may get a segfault!


```
#include <stdio.h>

int main(int argc, char *argv[]) {
    // printf prints out a formatted string
    printf("%s\n", "Hello world!")

    // Print out the first command line argument
    printf("%s\n", argv[1])


    // A return value of 0 means there were no errors
    return 0;
}
```

Output:  
Hello world!  
arg1! // Assuming we ran `./intro arg1!`



# Compiling your C program

- All C programs begin with a `main` function
  - The first argument `argc` denotes the number of elements in `argv`
  - The second argument `argv` is a list of string arguments passed from the command line to the program
  - The return value of a function indicates the exit code where 0 means success
- At the top of the file we have an `#include` statement to include `stdio.h`, a library that makes available functions such as `printf`.
- We can use `printf` to print formatted strings. In this case `%s` treats the input as a string.
  - `printf` is your friend for debugging!
  - `printf` doesn't emit a newline, so you'll have to add a `\n` if you want a newline



# C Syntax

- At the top of the file we have an `include` statement to include `stdio.h`, a library that contains functions such as `printf`.
- Next is an array declaration using the `int {name}[{size}]` syntax.
- This array is declared on the stack. The distinction between declaration on the stack and heap is important to keep in mind!
- We can initialize the values by using the `{elem1, elem2, ...}` initializer syntax.

```
#include <stdio.h>

int main(int argc, char *argv[]) {
    const int NUMS_SIZE = 3;
    // Declare an array on the stack of length 3 in one line
    int nums[NUMS_SIZE] = {1, 2, 5};

    // Alternatively initialize an array like this
    nums[0] = 1;
    nums[1] = 2;
    nums[2] = 5;

    for (int i = 0; i < NUMS_SIZE; i++) {
        // printf doesn't emit a new line so we add a \n
        printf("Num at index %d is %d\n", i, nums[i]);
    }


    // We can declare strings and print them out using %
    char *str = "abcd";
    printf("My string is %s\n", str);

    // A return value of 0 means there were no errors
    return 0;
}
```

# The `printf()` function



- `printf("Original input: %s\n", input);`
- `printf()` is a library function declared in `<stdio.h>`
- Syntax: `printf(FormatString, Expr...)`
  - `FormatString`: String of text to print
  - `Expr...`: Values to print
  - `FormatString` has placeholders to specify type of the values (note: #placeholders should match #Exprs)
  - Placeholders:
    - `%s` (print as string), `%c` (print as char),
    - `%d` (print as integer),
    - `%f` (print as floating-point)
- `\n` indicates a newline character

Make sure you pick  
the right one!





# Separate compilation

- A C program consists of source code in one or more files
- Each source file is run through the preprocessor and compiler, resulting in a file containing object code
- Object files are tied together by the linker to form a single executable program



# The Preprocessor

- The preprocessor takes your source code and – following certain directives that you give it – tweaks it in various ways before compilation.
- A directive is given as a line of source code starting with the # symbol
- The preprocessor works in a very crude, “word-processor” way, simply cutting and pasting –
  - it doesn’t really know anything about C!




# Preprocessor Directives

```
#define MAX_COLS    20
#define MAX_INPUT    1000
```

- The `#define` directives perform
  - “global replacements”:
  - every instance of `MAX_COLS` is replaced with `20`, and every instance of `MAX_INPUT` is replaced with `1000`.
- Other directives:


```
#include <> / #include ""
#ifndef / #else / #endif
```



# Preprocessor directives

```
#include <stdio.h>
#include <stdlib.h>
#include <string.h>
```

- The `#include` directives “paste” the contents of the files `stdio.h`, `stdlib.h` and `string.h` into your source code, at the very place where the directives appear.
- These files contain information about some library functions used in the program:
  - `stdio` stands for “standard I/O”, `stdlib` stands for “standard library”, and `string.h` includes useful string manipulation functions.
- Want to see the files? Look in `/usr/include` (or similar)




# Pointers, Arrays, Strings

- The notions of string, array, and pointer are somewhat interchangeable:
  - An array of characters could be declared, for purposes of holding the input string:

```
char input[MAX_INPUT];
```


- Yet when it's passed in as an argument to a function, `input` morphes into a (constant) pointer to a character (`char const*`):

```
void some_function(char const* input, ...)
```





# Pointers, Arrays, Strings

- In C, the three concepts are indeed closely related:
  - A pointer is simply a memory address. The type `char*` (i.e. “pointer to character”) signifies that the data at the address the pointer is holding is to be interpreted as a character.
  - An array is simply a pointer – of a special kind:
    - The array ‘name’ refers to the first of a sequence of data items stored sequentially in memory
    - How do you get to the other array elements? By incrementing the pointer value
  - A string is simply an array of characters – unlike Java, which has a predefined `String` class.




# String Layout and Access



# Data Types in C

# Four basic Data Types

- Integers: `char`, `short int`, `int`, `long int`, `enum`
- Floating-point types: `float`, `double`, `long double`
- Pointers
- Aggregates: `struct`, `union`
- Integer and floating-point types stand for themselves, but pointers and aggregate types combine with other types, to form a virtually limitless variety of types




# Characters are of Integer Type

- From a C perspective, a character is indistinguishable from its numeric ASCII value –
  - the only difference is in how it's displayed
- Ex: converting a character digit to its numeric value
  - The value of '2' is not 2 – it's 50 (hexadecimal 0x32)
  - To convert, subtract the ASCII value of '0' (which is 48, or 0x30)


```
char digit, digit_num_value;  
...  
digit_num_value = digit - '0';
```

Behaviorally,  
this is identical to  
**digit - 48**  
Why is  
**digit - '0'**  
preferable?



# Integer Values play the Role of “Booleans”

- There is no “Boolean” type
  - Relational operators (`==`, `<`, etc.) return either `0` or `1`
  - Boolean operators (`&&`, `||`, etc.) return either `0` or `1`,
    - and take any `int` values as operands
- How to interpret an arbitrary `int` as a Boolean value:
  - `0` → `false`
  - Any other value → `true`



# The infamous ‘=’ Blunder

- Easy to confuse equality (==) with assignment (=)
  - In C, the test expression of an if statement can be any `int` expression — including an assignment expression


```
if (y = 0)  
    printf("Sorry, can't divide by zero.\n");  
else  
    result = x / y;
```

Assignment performed;  
y set to 0 (oops)

Expression returns  
result of assignment:  
0, or "false"


- The compiler will not catch this bug!
  - Some compilers will issue a warning

`else` clause executed:  
divide by 0!




# The less infamous “relational chain” Blunder

- Using relational operators in a “chain” doesn't work
- Ex: “age is between 5 and 13”



- A correct solution:  $5 \leq \text{age} \&\& \text{age} \leq 13$




# Ranges of Integer Types

Type	Min value	Max value	Size
char	0	UCHAR_MAX ( $\geq 127$ )	8 bits
signed char	SCHAR_MIN ( $\leq -127$ )	SCHAR_MAX ( $\geq 127$ )	8 bits
unsigned char	0	UCHAR_MAX ( $\geq 255$ )	8 bits
short int	SHRT_MIN ( $\leq -32767$ )	SHRT_MAX ( $\geq 32767$ )	$\geq \text{sizeof(char)}$ (usually 16)
unsigned short int	0	USHRT_MAX ( $\geq 65535$ )	$\geq \text{sizeof(char)}$ (usually 16)
int	INT_MIN ( $\leq -32767$ )	INT_MAX ( $\geq 32767$ )	$\geq \text{sizeof(short)}$ (usually $\geq 16$ )
unsigned int	0	INT_MAX ( $\geq 65535$ )	$\geq \text{sizeof(short)}$ (usually $\geq 16$ )
long int	LONG_MIN ( $\leq -2147483647$ )	LONG_MAX ( $\geq 2147483647$ )	$\geq \text{sizeof(int)}$ (usually $\geq 32$ )
unsigned long int	0	ULONG_MAX ( $\geq 4294967295$ )	$\geq \text{sizeof(int)}$ (usually $\geq 32$ )

# Ranges of Integer Types

- Ranges for a given platform can be found in `/usr/include/limits.h`
- `char` can be used for very small integer values
- Plain `char` may be implemented as `signed` or `unsigned` on a given platform – safest to “assume nothing” and just use the range 0...127
- `short int` “supposed” to be smaller than `int` –
  - but it depends on the underlying platform



# Ranges of Floating-Point Types


Type	Min value	Max value	Size
float	FLT_MIN ( $\leq -10^{37}$ )	FLT_MAX ( $\leq -10^{37}$ )	32 bits
double	DBL_MIN ( $\leq -FLT\_MIN$ )	DBL_MAX ( $\geq FLT\_MAX$ )	64 bits
long double	LDBL_MIN ( $\leq -DBL\_MIN$ )	LDBL_MAX ( $\geq DBL\_MAX$ )	$\geq 64$ bits

Floating-point literals must contain a decimal point, an exponent, or both.

3.14159

-25.

6.023e-23



# Danger: Precision of Floating-Point Values


- Testing for equality between two floating-point values: almost always a bad idea
  - One idea: instead of simply using `==`, call an “equality routine” to check whether the two values are within some margin of error.

# Casting: Converting one Type to Another

- The compiler will do a certain amount of type conversion for you (silently):

```
int a = 'A';      /* char literal converted to int */
```

- In some circumstances, you need to explicitly cast an expression as a different type – by putting the desired type name in parentheses before the expression
  - e.g. `(int)3.14159` will return the `int` value 3




# Pointers

# Review of Pointers



- A pointer is just a variable that holds a memory location (an address).
- A memory location is simply an integer value, that we interpret as an address in memory.
- The contents at a particular memory location is just a collection of bits - there's nothing special about them that makes them `ints`, `chars`, etc.
  - How you want to interpret the bits is up to you (that's what types are for).
  - Is this... an `int` value?
    - ... a pointer to a memory address?
    - ... a series of `char` values?

0xfe4a10c5




# Review of pointer variables

- A pointer variable is just a variable, that contains a value that we interpret as a memory address.
- Just like an uninitialized `int` variable holds some arbitrary “garbage” value,
  - an uninitialized pointer variable points to some arbitrary “garbage address”



# Following a “garbage” pointer

- What will happen? Depends on what the arbitrary memory address is:
  - If it's an address to memory that the OS has not allocated to our program, we get a segmentation fault
  - If it's a nonexistent address, we get a bus error
  - Some systems require multibyte data items, like `ints`, to be aligned: for instance, an `int` may have to start at an even-numbered address, or an address that's a multiple of 4. If our access violates a restriction like this, we get a bus error
  - If we're really unlucky, we'll access memory that is allocated for our program
    - We can then proceed to destroy our own data!




# How can you Test whether a Pointer points to Something Meaningful?

- There is a special pointer value `NULL`, that signifies “pointing to nothing”. You can also use the value `0`.

```
char* m = NULL;  
...  
if (m) { ... safe to follow the pointer ... }
```

- Here, `m` is used as a boolean value
  - If `m` is “false”, aka `0`, aka `NULL`, it is not pointing to anything
  - Otherwise, it is (presumably) pointing to something good
  - Note: It is up to the programmer to assign `NULL` values when necessary




# Indirection operator \*


- “Moves” from address to contents

```
char* m = "dog";
```

```
char result = *m;
```



- `m` is an address of a `char`
  - `*m` instructs us to take the contents of that address
  - `result` gets the value 'd'




# Address operator &

- Instead of contents, returns the address

```
char* m = "dog";  
char** pm = &m;
```

- pm needs a value of type **char \*\***
  - Can we assign to it \*m? No – type is **char**
  - Can we assign to it m? No – type is **char \***
  - &m gives it the right value – the address of a **char \*** value





# Pointer Arithmetic

- C allows pointer values to be incremented by integer values

```
char* m = "dog";  
char result = *(m + 1);
```

- $m$  is an address of a **char**
  - $(m + 1)$  is the address of the next **char**
  - $*(m + 1)$  instructs us to take the contents of that address
  - **result** gets the value 'o'





# Pointer Arithmetic

- A slightly more complex example:



```
char* m = "dog";  
char result = *++m;
```

- **m** is an address of a **char**
- **++m** changes **m**, to the address one byte higher,
  - and returns the new address
- **\*++m** instructs us to take the contents of that location
- **result** gets the value '**o**'





# Pointer Arithmetic

- How about multibyte values?
  - Q: Each `char` value occupies exactly one byte, so obviously incrementing the pointer by one takes you to a new `char` value...
    - But what about types like `int` that span more than one byte?
  - A: C “does the right thing”: increments the pointer by the size of one `int` value



# Example: Initializing an Array


```
#define N_VALUES 5
float values[N_VALUES];
```



# Example: `strcpy` “string copy”


```
char* strcpy(char* dest, const char* src)
```

- (assume that) `src` points to a sequence of `char` values that we wish to copy, terminated by '`\0`'
- (assume that) `dest` points to an accessible portion of memory large enough to hold the copied `chars` (including the `NUL` character)
- `strcpy` copies the `char` values of `src` to the memory pointed to by `dest`
- `strcpy` also gives `dest` as a return value





# Example: strcpy “string copy”

```
char* strcpy(char* dest, char const* src) {
    char const* p;
    char* q;
    for(p = src, q = dest; *p != '\0'; ++p, ++q)
        *q = *p;
    *q = '\0';
    return dest;
}
```



# Pointer Subtraction and relational Operations

- Only meaningful in special context: where you have two pointers referencing different elements of the same array
  - $q - p$  gives the difference (in number of array elements, not number of bytes between  $p$  and  $q$  (in this example, 2))
  - $p < q$  returns 1 if  $p$  has a lower address than  $q$ ; else 0
    - (in this example, it returns 1)



# Arrays

# Arrays

- C arrays can be tricky since we can represent them using the [] syntax or as pointers using the \* syntax.
- In the case of the [] syntax
  - We can access elements by using the familiar `arr1[index]` syntax
- In the case of the pointer \* syntax
  - `malloc` returns a pointer to the start of a buffer that is the same size as the argument that is passed in
  - The value of `int* arr2` in this case is a pointer to the start of a buffer of size 12
    - Each `int` is 4 bytes and there are 3 of them

```
#include <stdio.h>

int main(int argc, char *argv[]) {
    int NUM_ELEMS = 3;
    // Below are two equivalent ways of initializing an array

    // Declare an array on the stack
    int arr1[NUM_ELEMS];

    for (int i = 0; i < NUM_ELEMS; i++) {
        arr1[i] = i;
    }

    // Declare an array via malloc which is on the heap
    // arr2 is a pointer to the start of the array
    int *arr2 = malloc(sizeof(int) * NUM_ELEMS);

    printf("arr2: %x\n", arr2);



    for (int i = 0; i < NUM_ELEMS; i++) {
        // Add offset i to the start of the array
        // and get the value at that location by dereferencing
        *(arr2 + i) = i;
        // Note there is no "dereference" in the print statement
        // because arr2 is a pointer to the start of the array
        printf("(arr2 + %d): %x\n", i, arr2 + i);
    }

    return 0;
}
```

# Review of arrays

- There are no array variables in C – only array names
  - Each name refers to a constant pointer (address of first element of array)
  - Space for array elements is allocated at declaration time
- Can't change where the array name refers to...
  - but you can change the array elements,
    - via pointer arithmetic

```
int m[4];
```




# Subscripts and pointer arithmetic

- `array[subscript]` equivalent to `*(array + (subscript))`
- Strange but true: Given earlier declaration of `m`, the expression `2[m]` is legal!
  - Not only that: it's equivalent to:

`2[m]`  
`*(2 + m)`  
`*(m + 2)`  
`m[2]`

- That also explains why array indices start at zero (not one)!



# Array names and Pointer Variables, playing together

```
int m[3];
```

subscript OK  
with pointer  
variable


```
int* mid = m + 1;
```

```
int* right = &mid[1]; // &(mid[1])
```

```
int* left = &mid[-1];
```

```
int* beyond = &mid[2];
```

compiler may not catch this –  
runtime environment certainly won't




# Array names as function arguments


- In C, arguments are passed “by value”
  - A temporary copy of each argument is created, solely for use within the function call:

```
void f(int x, int* y) { ... }

void g(...) {
    int a = 17, b = 42;
    f(a, &b);
    ...
}
```




- Pass-by-value is “safe” in that the function plays only in its “sandbox” of temporary variables –
  - can’t alter the values of variables in the callee (except via the return value)



# Array Names as Function Arguments

- But, functions that take arrays as arguments can exhibit what looks like “pass-by-reference” behavior, where the array passed in by the callee *does* get changed
  - Remember the special status of arrays in C
    - They are basically just pointers.
  - So arrays are indeed passed by value
    - but only the pointer is copied, not the array elements!
  - Note the advantage in efficiency (avoids a lot of copying)
    - But - the pointer copy points to the same elements as the callee’s array
    - These elements can easily be modified via pointer manipulation




# Array names as function arguments

- The `strcpy` “string copy” function puts this “pseudo” call-by-reference behavior to good use:

```
void strcpy(char* buffer, char const* string);
```

```
void f(...) {  
    char original[4] = "dog";  
    char copy[4];  
    strcpy(copy, original);  
}
```



# When can array size be omitted?

- There are a couple of contexts in which an array declaration need not have a size specified:

- Parameter declaration:


```
int strlen(char string[]); // same as: int strlen(char* string);
```

- As we've seen, the elements of the array argument are not copied, so the function doesn't need to know how many elements there are.

- Array initialization:

```
int vector[] = {1, 2, 3, 4, 5};
```

- In this case, just enough space is allocated to fit all (five) elements of the initializer list





# Multidimensional arrays

- How to interpret a declaration like:

```
int d[2][4];
```

- This is an array with two elements:
  - Each element is an array of four `int` values
- The elements are laid out sequentially in memory, just like a one-dimensional array
  - Row-major order: the elements of the rightmost subscript are stored contiguously



# Subscripting in a multidimensional array

```
int d[2][4];
```



`d[1][2]`



`*(*(d+1)+2)`

Then increment by the size of 2 `ints`

Increment by the size of 1 array of 4 `ints`




# Why do we care about Storage Order?

- If you stay within the “paradigm” of the multidimensional array, the order doesn’t matter...
- But if you use tricks with pointer arithmetic,
  - it matters a lot
- It also matters for initialization
  - To initialize `d` like this:
    - use this:

```
int d[2][4] = {0, 1, 2, 3, 4, 5, 6, 7};
```
    - rather than this

```
int d[2][4] = {0, 4, 1, 5, 2, 6, 3, 7};
```

0	1	2	3
4	5	6	7




# Multidimensional Arrays as Parameters

- Only the first subscript may be left unspecified:

```
void f(int matrix[][10]);    /* OK */  
void g(int (*matrix)[10]);   /* OK */  
void h(int matrix[][]);     /* not OK */
```

- Why?
  - Because the other sizes are needed for scaling when evaluating subscript expressions (see previous slides)
  - This points out an important drawback to C:
    - Arrays do not carry information about their own sizes!
    - If array size is needed, you must supply it somehow
    - (e.g., when passing an array argument, you often have to pass an additional “array size” argument) – bummer



# Malloc

# Using malloc

- `malloc` returns a pointer to the start of a region of memory on the heap. It takes in the number of bytes to allocate.
- Knowing the differences between `malloc`-ing data on the heap and declaring data on the stack is important for CSC4103.
- Consider the commented out code  
`char copied[length + 1]`
  - If we were to use this line of code instead of the line with `malloc`, what would happen?
  - It's possible we get a segfault or the returned string is garbage!
  - This happens because we declared our string on the stack inside the `str_copier` function frame and returned a pointer to the string located in the function frame
  - But when we return from `str_copier`, the stack frame is deallocated so now we have a dangling pointer to a location in the deallocated function frame!
  - So never declare things on the stack and then return them!

```
#include <stdio.h>
#include <string.h>

int main(int argc, char *argv[]) {
    // Declare a string
    char *str = "Help";
    printf("Copied str: %s\n", str_copier(str));
    // What's missing here? free(str);
    return 0;
}

// Returns a malloced copy of the string
char *str_copier(char *str) {
    int length = strlen(str);

    char *copied = malloc(sizeof(char) * (length + 1));
    // Consider the following commented out code
    // char copied[length + 1];



    strcpy(copied, str);
    return copied;
}
```



# Overview of Memory Management


- Stack-allocated memory
  - When a function is called, memory is allocated for all of its parameters and local variables.
  - Each active function call has memory on the stack (with the current function call on top)
  - When a function call terminates,
    - the memory is deallocated (“freed up”)

Ex:    `main()` calls `f()`,  
`f()` calls `g()`  
`g()` recursively calls `g()`



# Overview of Memory Management

- Heap-allocated memory
  - This is used for persistent data, that must survive beyond the lifetime of a function call
    - global variables
    - dynamically allocated memory – C statements can create new heap data (similar to new in Java/C++)
  - Heap memory is allocated in a more complex way than stack memory
  - Like stack-allocated memory, the underlying system determines where to get more memory – the programmer doesn't have to search for free memory space!



# Allocating new Heap Memory


```
void* malloc(size_t size);
```

- Allocate a block of size bytes,
  - return a pointer to the block
  - (NULL if unable to allocate block)

Note: `void *` denotes a generic pointer type

```
void* calloc(size_t num_elements, size_t element_size);
```

- Allocate a block of  $\text{num\_elements} * \text{element\_size}$  bytes,
  - initialize every byte to zero,
  - return pointer to the block
  - (NULL if unable to allocate block)




# Allocating new Heap Memory

```
void* realloc(void* ptr, size_t new_size);
```

- Given a previously allocated block starting at ptr,
  - change the block size to new\_size,
  - return pointer to resized block
    - If block size is increased, contents of old block may be copied to a completely different region
    - In this case, the pointer returned will be different from the ptr argument, and ptr will no longer point to a valid memory region
- If ptr is NULL, realloc is identical to malloc
- Note: may need to cast return value of malloc/calloc/realloc:


```
char* p = (char*) malloc(BUFFER_SIZE);
```



# Deallocating Heap Memory


```
void free(void* pointer);
```

- Given a pointer to previously allocated memory,
  - put the region back in the heap of unallocated memory
- Note: easy to forget to free memory when no longer needed...
  - especially if you're used to a language with "garbage collection" like Java
  - This is the source of the notorious "memory leak" problem
  - Difficult to trace – the program will run fine for some time, until suddenly there is no more memory!




# Checking for successful Allocation

- Call to `malloc` might fail to allocate memory, if there's not enough available
- Easy to forget this check, annoying to have to do it every time `malloc` is called...



# Memory errors

- Using memory that you have not initialized
- Using memory that you do not own
- Using more memory than you have allocated
- Using faulty heap memory management



# Structs

# Structs

- Structs organize and group variables in a container so that they're easily accessible by a single pointer.
- As in other languages, creating objects is extremely helpful in keeping your abstractions clean!
- Let's analyze the code
  - We can declare a **struct** type by using the **struct name {fields};** syntax.
  - To access fields of a **struct** value, we can use the **.(dot)** syntax.
  - To access fields of a **struct** pointer, we have two choices
    - We can dereference the pointer to get a **struct** value and then use the **.(dot)** notation
    - Or we can use the arrow notation **->** to quickly do the first option
    - The arrow notation is probably the cleaner and quicker method

```


// Declare a struct type
struct coord {
    int x;
    int y;
};

int main(int argc, char *argv[]) {
    // Declare a struct on the stack
    struct coord c1;
    // We can access and assign fields using the . syntax
    c1.x = 3;
    c1.y = 4;

    // Declare a struct on the heap
    struct coord *c2 = malloc(sizeof(struct coord));
    // This dereferences the struct pointer to get the struct
    // and accesses its field x
    (*c2).x = 3;
    // When we have a pointer to a struct we can use
    // the arrow syntax to quickly reference its fields
    c2->y = 4;

    // No change because a copy of the struct is passed
    modify1(c1);
    modify1(*c2);
    printf("modify1\n");
    printf("x: %d, y: %d\n", c1.x, c1.y);
    printf("x: %d, y: %d\n", c2->x, c2->y);

```



# Structs

- When we pass **struct** values into functions (such as `modify1`), they are copied
  - This means any changes we make to that **struct** are not reflected in the original **struct**
- When we pass **struct** pointers into functions (such as `modify2`), the original **struct** may be modified
  - Since we have a pointer, we can go to the location of the **struct** and modify that **struct**

```


// Change because we passed a pointer to the struct
modify2(&c1);
modify2(c2);
printf("modify2\n");
printf("x: %d, y: %d\n", c1.x, c1.y);
printf("x: %d, y: %d\n", c2->x, c2->y);

return 0;
}

// structs are copied if given the struct itself
void modify1(struct coord c) {
    c.x = 5;
    c.y = 6;
}


void modify2(struct coord *c) {
    c->x = 5;
    c->y = 6;
}

```



# C structures: aggregate, yet scalar

- aggregate in that they hold multiple data items at one time
  - named members hold data items of various types
  - like the notion of class/field in C++
    - but without the data hiding features
- scalar in that C treats each structure as a unit
  - as opposed to the “array” approach: a pointer to a collection of members in memory
  - entire structures (not just pointers to structures) may be passed as function arguments, assigned to variables, etc.
  - Interestingly, they cannot be compared using ==
    - (rationale: too inefficient)



# Structure Declarations


- Combined variable and type declaration

```
struct tag {member-list} variable-list;
```

- Any one of the three portions can be omitted

```
struct { int a, b; char* p; } x, y; /* omit tag (type name) */
```

- variables x, y declared with members as described:
  - int members a, b and char pointer p.
- x and y have same type, but differ from all others –
  - even if there is another declaration:
    - struct { int a, b; char \*p; } z;
    - /\* z has different type from x, y \*/



# Structure Declarations

```
struct S { int a, b; char* p; }; /* omit variables */
```


- No variables are declared, but there is now a type struct S that can be referred to later

```
struct S z; /* omit members */
```

- Given an earlier declaration of struct S, this declares a variable of that type

```
typedef struct { int a, b; char* p; } S;
/* omit both tag and variables */
```


- This creates a simple type name S
  - (more convenient than struct S)



# Recursively defined Structures

- Obviously, you can't have a structure that contains an instance of itself as a member – such a data item would be infinitely large
- But within a structure you can refer to structures of the same type, via pointers

```
struct TREENODE {  
    char *label;  
    struct TREENODE *leftchild, *rightchild;  
}
```




# Recursively defined Structures

- When two structures refer to each other, one must be declared in incomplete (prototype) fashion

```
struct HUMAN;  
  
struct PET {  
    char name[NAME_LIMIT];  
    char species[NAME_LIMIT];  
    struct HUMAN* owner;  
} fido = {"Fido", "Canis lupus familiaris", NULL};  
  
struct HUMAN {  
    char name[NAME_LIMIT];  
    struct PET pets[PET_LIMIT];  
} sam = {"Sam", {fido}};
```

We can't initialize the **owner** member at this point, since it hasn't been declared yet



# Member Access

- Direct access operator `s.m`
  - subscript and dot operators have same precedence and associate left-to-right, so we don't need parentheses for `sam.pets[0].species`
- Indirect access `ps->m`: equivalent to `(*ps).m`
  - Dereference a pointer to a structure, then return a member of that structure
  - Dot operator has higher precedence than indirection operator , so parentheses are needed in `(*s).m`


`(*fido.owner).name`

or

`fido.owner->name`

• evaluated first: access **owner** member  
\* evaluated next: dereference pointer to **HUMAN**


• and `->` have equal precedence and associate left-to-right




# Memory Layout

```
struct COST { int amount;  
              char currency_type[2]; };  
  
struct PART { char id[2];  
              struct COST cost;  
              int num_avail; };
```

- layout of struct PART:



- Here, the system uses 4-byte alignment of integers,
  - so `amount` and `num_avail` must be aligned
- Four bytes wasted for each structure!





# Memory layout

- A better alternative (from a space perspective):

```
struct COST { int amount;
              char currency_type[2]; };

struct PART { struct COST cost;
              char id[2];
              int num_avail; };
```



# Structures as Function Arguments


- Structures are scalars, so they can be returned and passed as arguments – just like ints, chars

```
struct BIG changestruct(struct BIG s);
```

- Call by value: temporary copy of structure is created
- Caution: passing large structures is inefficient
  - – involves a lot of copying
- avoid by passing a pointer to the structure instead:  

```
void changestruct(struct BIG* s);
```
- What if the struct argument is read-only?
  - Safe approach: use const  

```
void changestruct(struct BIG const* s);
```



# OOP with C


```
struct cost { int amount; char currency_type; }

struct cost* cost_init() { return malloc(sizeof(cost)); }

void cost_free(struct cost* c) { free(c); }

void cost_set(struct cost* c, int amount, char type)
    { c->amount = amount; c->currency_type = type; }


struct cost* c = cost_init();
if (c == NULL) { ... error ... }
cost_set(c, 42, '$');
cost_free(c);
```



# Unions

- Like structures, but every member occupies the same region of memory!
  - Structures: members are placed consecutively in memory
  - Unions: members are placed in the same spot in memory

```
union VALUE {  
    float f;  
    int i;  
    char *s;  
};  
/* either a float or an int or a char* */
```




# Unions

- Up to programmer to determine how to interpret a union (i.e. which member to access)
- Often used in conjunction with a “type” variable that indicates how to interpret the union value
  - Called ‘discriminated union’

```
enum TYPE { INT, FLOAT, STRING };
struct VARIABLE {
    enum TYPE type;
    union VALUE value;
};
```

Access **type** to determine how to interpret **value**



# Strings

# Strings

- A string is an array of characters ending with a null terminator `\0`.
- So, we can represent strings as a `char *` type (an array of chars).
- Let's analyze the code
  - We can declare a string as an array using either syntax, in this case we chose the pointer syntax.
  - In `print_chars`, we can iterate through the string by using the same array dereferencing and pointer arithmetic method.
  - In `str_copier`, notice that `strlen` returns the length of the string excluding the null terminator.
  - If we didn't have the `+ 1` in our `malloc` call, then we wouldn't have enough space to fit both help and the `\0`

```
int main(int argc, char *argv[]) {
    // Declare a string
    char *str = "Help";
    print_chars(str);
    printf("Copied str: %s\n", str_copier(str));
    return 0;
}

// Iterates through the string and prints out each char
void print_chars(char *str) {
    int length = strlen(str);
    int i = 0;
    while (i < length) {
        // We can get a given char
        // by dereferencing the string like an array
        printf("Char: %c\n", *(str + i));
    }
}

// Returns a malloced copy of the string
char *str_copier(char *str) {
    // strlen gets the length of the string
    // WITHOUT the null terminator
    int length = strlen(str);

    // Let's create the new buffer, NOTICE THE + 1
    // We need the +1 to make room for the null terminator
    char *copied = malloc(sizeof(char) * (length + 1));

    // Copies str into copied
    strcpy(copied, str);
    return copied;
}
```

# Review of strings

- Sequence of zero or more characters, terminated by **NUL** (literally, the integer value '\0')
- **NUL** terminates a string, but isn't part of it
  - important for `strlen()` – length doesn't include the **NUL**
- Strings are accessed through pointers/array names
- `string.h` contains prototypes of many useful functions

# String literals

- Evaluating "dog" results in memory allocated for three characters 'd', 'o', 'g', plus terminating NUL


```
char* m = "dog";
```

- Note: If m is an array name, subtle difference:

```
char m[10] = "dog";
```

10 bytes are allocated for this array

This is not a string literal;  
It's an array initializer in  
disguise!  
Equivalent to  
`{'d', 'o', 'g', '\0'}`



# String manipulation functions


- Read some “source” string(s), possibly write to some “destination” location

```
char* strcpy(char* dst, char const* src);  
char* strcat(char* dst, char const* src);
```

- Programmer’s responsibility to ensure that:
  - destination region large enough to hold result
  - source, destination regions don’t overlap
    - “undefined” behavior in this case
    - according to C spec, anything could happen!

```
char m[10] = "dog";  
strcpy(m+1, m);
```

Assuming that the implementation of **strcpy** starts copying left-to-right without checking for the presence of a terminating NUL first, what will happen?



# strlen() and size\_t

```
size_t strlen(char const* string);
/* returns length of string */
```

- `size_t` is an unsigned integer type, used to define sizes of strings and (other) memory blocks
  - Reasonable to think of “size” as `unsigned`...
  - But beware! Expressions involving `strlen()` may be unsigned (perhaps unexpectedly)


```
if (strlen(x) - strlen(y) >= 0) ...
```

- avoid by casting:

```
((int) (strlen(x) - strlen(y)) >= 0)
```

- Problem: what if `x` or `y` is a very large string?
- a better alternative: `(strlen(x) >= strlen(y))`


always true!



# strcmp() “string comparison”

```
int strcmp(char const* s1, char const* s2);
```

- returns a value less than zero if `s1` precedes `s2` in lexicographical order;
- returns zero if `s1` and `s2` are equal;
- returns a value greater than zero if `s1` follows `s2`.
- Source of a common mistake:
  - seems reasonable to assume that `strcmp` returns “true” (nonzero) if `s1` and `s2` are equal; “false” (zero) otherwise
  - In fact, exactly the opposite is the case!



# Restricted vs. unrestricted string functions


- Restricted versions: require an extra integer argument that bounds the operation

```
char* strncpy(char* dst, char const* src, size_t len);  
char* strncat(char* dst, char const* src, size_t len);
```

```
int strncmp(char const* s1, char const* s2, size_t len);
```

- “safer” in that they avoid problems with missing NUL terminators
- safety concern with `strncpy`:
  - If bound isn’t large enough, terminating NUL won’t be written
  - Safe alternative:


```
strncpy(buffer, name, BSIZE);  
buffer[BSIZE-1] = '\0';
```



# String searching


```
char* strpbrk(char const* str, char const* group);
/* return a pointer to the first character in str
   that matches *any* character in group;
   return NULL if there is no match */
```

```
size_t* strspn(char const* str, char const* group);
/* return number of characters at beginning of str
   that match *any* character in group */
```





# strtok “string tokenizer”

```
char* strtok(char* s, char const* delim);  
/* delim contains all possible “tokens”:  
   characters that separate “tokens”.  
   if delim non-NULL:  
       return ptr to beginning of first token in s,  
       and terminate token with NUL.  
   if delim is NULL:  
       use remainder of untokenized string from the  
       last call to strtok */
```



# strtok in action

```
for (token = strtok(line, whitespace);  
     token != NULL;  
     token = strtok(NULL, whitespace))  
    printf("Next token is %s\n", token);
```



# An implementation of strtok

```
char* strtok(char* s, const char* delim) {  
    static char *old = NULL;  
    char *token;  
    if (! s) { s = old; if (! s) return NULL; }  
    if (s) {  
        s += strspn(s, delim);  
        if (*s == 0) { old = NULL; return NULL; }  
    }  
    token = s;  
    s = strpbrk(s, delim);  
    if (s == NULL) old = NULL;  
    else { *s = 0; old = s + 1; }  
    return token;  
}
```

old contains the remains  
of an earlier s value  
(note use of static)

NULL has been passed in for s,  
so consult old

strspn returns number of delimiters  
at beginning of s – skip past these  
characters

strpbrk gives the position of the next delimiter.  
s is updated to this position, but token still  
points to the token to return.



# Memory operations

- Like string operations, work on sequences of bytes
  - but do not terminate when NUL encountered
- void\* `memcpy(void* dst, void const* src, size_t length);`
- void\* `memcmp(void const* a, void const* b, size_t length);`
- Note: `memmove` works like `memcpy`, but allows overlapping source, destination regions
- Remember, these operations work on bytes
  - If you want to copy N items of type T, get the length right:  
`memcpy(to, from, N * sizeof(T))`

